

**Date:**

March 2019

**Description:**

Mid-Height Roller Floor - RFH

**Application:**

ARB Drawers

**Part No. & Barcode:**

Refer to table on page 3

**Dimensions and Weight:**

Refer to table on page 3

**Product Group:**

870 - Drawer Modules

871 - Carpeted Infill Panels

**Availability Date:**

February 2019



## Product Specification

With all the convenience of a low roller floor and increased storage capacity in the slide out tray, ARB is proud to release a full range of Mid-Height Roller Floor Drawers.

This new Roller Floor with drawer (RFH) has an increased drawer depth of 105mm which is 30mm greater than the original Roller Floor (RF module). As a comparison, the full height RDRF (Roller Draw / Roller Floor) has a depth of 215mm.

This new 'Mid Height' roller floor drawer is the perfect height to stow your items away and still have access to the fridge on the sliding roller floor without it being too high.

The extra capacity is ideal for accommodating various ARB accessories such as your recovery kit and snatch straps, jump starter as well as all of your camping food and even a first aid kit.

Available in 945, 1045 & 1355mm lengths, these Mid-Height Roller Floors are compatible with the existing range of full height drawers and will bolt in seamlessly with any configuration.



## Roller Floor Mid-Height Features:

- Anti-Rollback System – Locks the drawers in their fully open position stopping unintentional closing
- Anti-Rattle – Locking mechanisms on the roller drawer and roller floor eliminate movement while closed
- Aluminium Runners – Ideal surface for bearings to run on and reduces unnecessary wear on components and build up on bearings, also light weight compared to steel runners
- ARB Outback Solutions Roller Drawers are Crash-tested and Compliant to ADR (Safety Requirement's)
- UV Stable – All components are UV stable including the carpet which is a high-grade marine carpet sourced specifically for ARB applications
- Slam Shut Latches – Unique to ARB Drawers, easy control and operation of the drawers even when your hands are full
- Total Weight – Lighter than most competitors' products, yet stronger. Good for touring applications
- Side Floors – Vehicle specific side floors that create a professional out of the box finish, and incorporate bracing to handle heavier loads and any flex in the side floors. Provides access to trim storage, Eg. Jack holder


## Technical Specifications:

- Floor kits are made of construction grade ply panels and marine carpet to handle UV and off-road conditions
- Galvanized steel and stainless components for improved service life
- Nylon latches - spring loaded
- ADR crash tested and certified
- Installation time remains the same as previous Roller Floors
- Sealed 608RS bearings
- Aluminium drawer runner
- Galvanized steel chassis
- Slam shut roller floor handles
- Commercial grade UV resistant carpet
- (RFH) Roller Floor rated up to 75kg when extended (100kg Max)



Part Number	RFH945	RFH1045	RFH1355
External Dimensions			
Length	945mm	1045mm	1355mm
Width	500mm	530mm	500mm
Height	190mm	190mm	190mm
Weight (Unpacked)	26kg	28kg	32kg
Internal Drawer Dimensions			
Length	850mm	950mm	1255mm
Width	420mm	465mm	435mm
Height	105mm	105mm	105mm
Barcode	9332018054777	9332018054753	9332018054760

### Optional Module Configurations:



NOTE: Depending on the setup, you may require a carpeted infill panel, which is sold separately (refer to further information below).

To complete your custom drawer install, additional RRFKADPxxx L or R panels may be required for different setup options.

Configuration of image on page 1 - Landcruiser 200 Series:

RFH1045 x 2, RFFKADP1045L x 1, RFFKADP1045R x 1, 200FK x 1. Approx: weight 75Kg for complete install. (Note: compressor outlet mount switch not included).

### Carpeted Infill Panel Information:

Part Number	Description	Barcode
CERDRFH945	Required for when RFH945 and RD945 are installed together	9332018054739
CERDRFH1045	Required for when RFH1045 and RD1045 are installed together	9332018054746
CERDRFH1355	Required for when RFH1355 and RD1355 are installed together	9332018054715
CERDRFRFH1355	Required for when RFH1355 and RDRF1355 are installed together	9332018054722